HAT HEALTHCARE™

PRODUCT CATALOG

FIRST EDITION

WORK YOUR WAY.

HAT Healthcare offers a broad range of design-forward, durable, and ergonomic solutions to promote productivity and well-being in professional healthcare environments. From sit-stand surfaces to mobile medical carts, HAT Healthcare's products showcase flexibility, functionality, and innovation in design. During shift changes or while making rounds, sitting or standing, bedside or on the go, our integrated technology support lets you work your way.

TABLE OF CONTENTS

MEDICAL CARTS 6

MONITOR ARMS 18

WALL MOUNT SOLUTIONS 32

SIT-STAND WORKSTATIONS 42

ACCESSORIES 50

WHY CHOOSE HAT HEALTHCARE?

We are a curious company, on a quest to empower individualization in the workplace through our collection of flexible, ergonomic solutions for the healthcare market. Our brand is committed to quality and affordability, with an emphasis on customer service and exceptional levels of support for our network of dealers. It's easy to do business with HAT Healthcare.

EXCEPTIONAL SERVICE

Our reliable, responsive teams are dedicated to personalized service. Whether online or in person, we keep things simple. HAT Healthcare is easy to work with.

QUICK SHIPPING

Bi-coastal warehouses and a large number of in-stock products mean we're able to fulfill orders in as little as three business days (or less).

DESIGN-FORWARD

The efforts of our innovative in-house Danish and American manufacturing teams combine to create an aesthetically impactful product collection.

WELL-PRICED

We remain committed to excellence and affordability as we endeavor to revolutionize well-being and productivity in the workplace.

CUSTOM MADE EASY

Our products prioritize personalization, giving you a multitude of ways to create your ideal workspace.

24/7 DURABILITY

Built to last and easily sanitized, our products are designed to meet the high demands of a 24/7 environment.

MEDICAL CARTS

HAT Healthcare's medical carts are designed for effortless mobility. Durable, compact, and easily maneuverable, these carts are ideal for working in space-constrained environments. Custom configurations support all types of capacity requirements, while electronic locking and audit trail software allow for seamless distribution of medication. Articulating keyboard trays and other add-on accessories accommodate all types of computer equipment, creating an ergonomic workspace for healthcare professionals on the go.

FUSION

The Fusion Series is designed for effortless mobility. From the slim silhouette to the compact and lightweight base design, the series is ideal for maneuvering in space constrained environments.

FEATURES

- **Compatible:** Designed for thin client, small form factor or closed laptop paired with an external monitor and keyboard.
- **Secure:** CPU or laptop is secured under a flip-up locking door with ventilation and easy access.
- **Ergonomic:** Various monitor mounts available that offer tilt, swivel and pivot adjustments.
- **Protected:** Built in Celspan® antimicrobial protection inhibits the growth of bacteria and mold.
- **Expansive:** Ample, desktop workspace. An extended worksurface is also available.
- **Smart:** Desktop overlay indicates the power system's battery run-time and charge time in hours/minutes (powered carts).
- **Integrated:** Built-in handles allow easy maneuvering and control.
- **Retractable:** Keyboard tray retracts when not in use and offers a sliding mouse tray for left or right-handed compatibility.
- **Adjustable:** Single hand height adjustment for user comfort when standing or sitting.
- **Easy:** Ships fully assembled.

SPECIFICATIONS

Finishes

- Tidal Blue
- Aqua Wave
- Lavender Mist
- Pink for the Cure
- Apple
- Orange Blast
- Sandstone
- Granite
- Onyx
- Evergreen (special order)
- Sunburst (special order)

Dimensions

Base:
15" W (front) x 19" W (back) x 18" D

Casters: 5" single wheels
(2 non-locking, 1 locking and
1 steering caster w/lock)

Worksurface Construction:
Antimicrobial, high-density
polypropylene & polyethylene

Cart Sleeve & Base:
Styrene & injected molded plastic

Mobile Power Options

See page 57

WARRANTY

Craftsmanship: 5 Years
Power Components: Varies

FUSION CONFIGURATIONS

FUSION ALL-IN-ONE

Worksurface Area:
20.75" W x 11.25" D

Worksurface Height:
34.25" - 45.75"

Keyboard Tray Size:
20" W x 10" D

Keyboard Tray Height:
30" - 42"

FUSION HYBRID

Worksurface Area:
23" W x 12.5" D

Worksurface Height:
37" - 48.25"

Keyboard Tray Size:
20" W x 10" D

Keyboard Tray Height:
30" - 42"

FUSION THIN CLIENT

Worksurface Area:
20.75" W x 11.25"" D

Worksurface Height:
34.25" - 45.75"

Keyboard Tray Size:
20" W x 10" D

Keyboard Tray Height:
30" - 42"

FUSION LAPTOP

Worksurface Area:
23" W x 12.5" D

Worksurface Height:
36.75" - 48"

Keyboard Tray Size:
20" W x 10" D

Keyboard Tray Height:
30" - 42"

FUSION IPATH

Worksurface Area:
22" W x 16" D

Worksurface Height:
34.5" - 45.5"

MEDPOINT

Designed to satisfy all types of capacity and security requirements, custom configure your MedPoint by choosing from multiple drawer configurations and bin sizes. Other smart features include the electronic locking system, audit trail software, articulating keyboard tray, LED keyboard light, as well as, many add-on accessories.

FEATURES

- **Compatible:** Designed for thin client, small form factor or closed laptop paired with an external monitor and keyboard.
- **Secure:** CPU or laptop is secured under a flip-up locking door with ventilation and easy access.
- **Ergonomic:** Various monitor mounts available that offer tilt, swivel and pivot adjustments.
- **Protected:** Built in Celspan® antimicrobial protection inhibits the growth of bacteria and mold.
- **Expansive:** Ample, desktop workspace. An extended worksurface is also available.
- **Smart:** Desktop overlay indicates the power system's battery run-time and charge time in hours/minutes (powered carts).
- **Integrated:** Built-in handles allow easy maneuvering and control.
- **Retractable:** Keyboard tray retracts when not in use and offers flip out mouse trays for left or right-handed compatibility.
- **Effortless:** Electric lift provides the ultimate in user comfort, simply press a button for sitting or standing work.
- **Easy:** Ships fully assembled.

SPECIFICATIONS

Finishes

Granite

Mobile Power Options

See page 57

Dimensions

Base: 17.5" W (front) x 21" W (back) x 20" D

Caster Size: 5" single wheels
(2 non-locking, 1 locking and
1 steering caster w/lock)

Bin Interior:
Small Bin: 3.4" W x 2.5" H x 10" L
Medium Bin: 7" W x 2.5" H x 10" L
Large Bin: 15" W x 2.5" H x 10" L

Worksurface Construction: High-density polypropylene & polyethylene

Cart Sleeve & Base: Styrene & injected molded plastic

WARRANTY

Craftsmanship: 5 Years
Power Components: Varies

MEDPOINT CONFIGURATIONS

MEDPOINT HYBRID
Worksurface Area:
23" W x 13.25" D
Worksurface Height:
37" - 47"
Keyboard Tray Size:
20" W x 10" D
Keyboard Tray Height:
26.25" - 47"

MEDPOINT LAPTOP
Worksurface Area:
23" W x 11.5" D
Worksurface Height:
35" - 47"
Keyboard Tray Size:
20" W x 10" D
Keyboard Tray Height:
26.25" - 47"

FRS

The FRS Series remains a mainstay in the mobile computer cart industry. With a simple and uncomplicated design, the various configurations provide users with a strong and comfortable workstation.

FEATURES

- **Expansive:** Ample desktop workspace.
- **Stable:** 5-point, 23" aluminum base for non-tip stability.
- **Easy:** Foot pedal operates pneumatic cylinder and providers a full range for sit-to-stand height adjustment.
- **Movement:** Quiet, polyurethane wheels offer ease of mobility over cords, carpet, and uneven surfaces.
- **Power:** FRS mobile power – an ideal solution for sufficient, cord-free power for laptops.

SPECIFICATIONS

Finishes

Grey

Dimensions

Caster Size: 4" wheels
(2 locking, 3 non-locking)

Worksurface Construction: .75" laminate with bump resistant t-mold

Base: 23"

Cart Base: Cast aluminum

WARRANTY

Craftsmanship: 5 Years
Power Components: Varies

FRS CONFIGURATIONS

FRS 1818
Worksurface Area: 18" W x 18" D
Worksurface Height: 27.5" - 37.5"

FRS 1818-SL
Worksurface Area: 18" W x 18" D
Worksurface Height: 29" to 39"
Slide-Thru Extension:
6" W x 18" D left or right

FRS 1818-OS
Worksurface Area: 18" W x 18" D
Worksurface Height: 32.5" - 42.5"
Storage: 4" H x 14" D x 15" W

FRS 1818-DR
Worksurface Area: 18" W x 18" D
Worksurface Height: 32.5" - 42.5"
Drawer: 3" H x 13" D x 13" W

FRS 1818-K
Worksurface Area: 24" W x 18" D
Worksurface Height: 32" - 42"
Keyboard Tray Height: 28.5" - 38.5"

FRS 1818-LND-K
Worksurface Area: 24" W x 18" D
Worksurface Height: 34" to 44"
Keyboard Tray Height: 28.5" - 38.5"

OMNICENTER

The OmniCenter workstation is the perfect solution in any work environment. There are endless possibilities of configurations and customizations to accommodate any computer equipment, specific needs and applications or work area requirements. All OmniCenters are constructed with sturdy and long-lasting materials.

FEATURES

- **Compatible:** All-in-one computers or dual mounted monitor with mini PC, thin client, small form factor or closed laptop paired with an external monitor.
- **Ergonomic:** Various monitor mounts available that offer tilt, swivel and pivot adjustments.
- **Expansive:** Ample desktop workspace.
- **Smart:** Desktop overlay indicates the power system's battery run-time and charge time in hours/minutes (powered carts).
- **Integrated:** Ergonomic, easy-grip handles located on both left and right sides allow you to either push or pull the workstation.
- **Retractable:** Keyboard tray retracts when not in use and offers a sliding mouse tray for left or right-handed compatibility.
- **Easy:** Ships fully assembled.

SPECIFICATIONS

Finishes

Grey

Mobile Power Options

See page 57

Dimensions

Base Size: 25.75" W x 21.25" D

Caster Size: 6" wheels
(2 locking, 2 non-locking)

Worksurface Construction: .75" laminate with bump resistant t-mold or anti-microbial high-density polyethylene

WARRANTY

Craftsmanship: 5 Years
Power Components: Varies

OMNICENTER CONFIGURATIONS

OMNICENTER ALL-IN-ONE

Worksurface Area:
24.25" W x 19.75" D

Worksurface Height: 42"

Keyboard Tray Size: 20" W x 10" D

Keyboard Tray Height: 35.5"

OMNICENTER HYBRID

Worksurface Area:
24.25" W x 19.75" D

Worksurface Height: 42"

Keyboard Tray Size: 20" W x 10" D

Keyboard Tray Height: 35.5"

OMNICENTER LAPTOP

Worksurface Area:
24.25" W x 19.75" D

Worksurface Height: 42"

Keyboard Tray Size: 20" W x 10" D

Keyboard Tray Height: 35.5"

HAT HEALTHCARE | MEDICAL CARTS

In-Between Spaces

Tight spaces require innovative solutions. Our diverse selection of wall-mounted products provides easy access to medical records and pop-up surfaces for prep. When you're done, quickly stow your work area to leave hallways clear and open.

MONITOR ARMS

Effortlessly control screen movement with our collection of monitor arms. Whether it's flexible data entry or convenient multi-screen viewing, our heavy-duty monitor arms support easy positioning, ergonomic comfort, and compact stowage. HAT Healthcare's monitor arms are hygienic, intuitive, and designed for fast-paced medical environments.

7000

7000 Dual increases your productivity with dual monitor support

Instantly raise and lower the monitor with one hand

This articulating monitor mount enables you to reclaim your desktop while you work in greater ergonomic comfort. Suspend your monitor above your desk and take advantage of this arm's 360 degrees of rotation.

Need to mount two screens? 7000 Dual, our productivity-enhancing dual monitor mount, allows you to effortlessly reposition both monitors with just one hand.

FEATURES

- **Space-Saving:** Folds to occupy only 3" of space.
- **Responsive:** One-touch monitor adjustment.
- **Flexible:** Easily rotate monitor for portrait or landscape viewing.
- **Quick-Install:** 7000 Single installation is performed above desk for quick and easy set-up.
- **Compatible:** VESA-monitor compatible – 75mm & 100mm VESA adapters included.

SPECIFICATIONS

Finishes

Flat White 248

Silver 124

Vista Black 104

7000 Single

Screen Size: Up to 32"
Height Adjustment: 16"
Extension Range: 24"
Max Monitor Height: 17"
Weight Capacity: 2 - 31 lbs.
Mount: Desk Edge, Grommet
Compatibility: Up to 1.5" desk thickness

7000 Single Part Numbers

7000-500-___ (2 - 13 lbs. monitor)
7000-800-___ (7.5 - 25 lbs. monitor)
7000-1000-___ (12 - 31 lbs. monitor)

7000 Dual

Screen Size: Up to 32"
Height Adjustment: 16"
Extension Range: 24"
Max Monitor Height: 19.9"
Weight Capacity: 2 - 25 lbs. per monitor
Mount: Configurable for Desk Edge, Thru-Desk, Grommet, Side Bolt

7000 Dual Part Numbers

7000-500-8408-___ (2 - 13 lbs. per monitor)
7000-800-8408-___ (7.5 - 25 lbs. per monitor)

WARRANTY

10 Years

7500

The 7500 desk monitor mount features Innovative's patented HD tilter, a spring-assisted pivot for the monitor which makes adjustments remarkably easy, even with larger screens. Other features include internal cable management and unique joint bearings for ease of movement.

FEATURES

- **Effortless:** Instantly raise and lower your monitor with one handed repositioning.
- **Flexible:** Easily rotate flat panel monitor for portrait or landscape viewing.
- **Smooth:** Monitor arm includes our spring-assisted HD tilter for smoother monitor pivoting.
- **Adaptable:** Includes FLEXmount with six mounting options in one kit.
- **Compatible:** VESA-monitor compatible – 75mm & 100mm VESA adapter included.

Effortless height adjustment

Integrated cable management

Space saving design

SPECIFICATIONS

Finishes

- Flat White 248
- Silver 124
- Vista Black 104

Dimensions

Screen Size: Up to 43"
Height Adjustment: 18"
Extension Range: 27"
Max Monitor Height: 19"
Weight Capacity: 2 - 40 lbs.
Mount: Desk Edge, Thru-Desk, Grommet, Wall, Reverse Wall, Side Bolt

Part Numbers

7500-500-___ (2 - 13 lbs. monitor)
7500-800-___ (6 - 21 lbs. monitor)
7500-1000-___ (8 - 27 lbs. monitor)
7500-1500-___ (12 - 40 lbs. monitor)

WARRANTY

10 Years

7516

The monitor mount effortlessly controls your radial movement; simply grasp the handle and turn the monitor left or right – wherever you need it. Our cable management routes cables inside the monitor arm to keep your work area organized. You'll never work the old and cluttered way again.

FEATURES

- **Convenience:** Use handles to quickly reposition the monitor without touching the screen.
- **Flexible:** Arms articulates 360 degrees at 3 joints and tilts 200 degrees, allowing maximum flexibility.
- **Space-saving:** Arm can be folded to occupy just 3" of space.
- **Adaptable:** Includes FLEXmount with six mounting options in one kit.
- **Compatible:** VESA-monitor compatible – 75mm & 100mm.

Easily wrap handles in disposable plastic for sanitary use

Features convenient handle set to reposition monitor

SPECIFICATIONS

Finishes

- Flat White 248
- Silver 124
- Vista Black 104

Dimensions

Screen Size: Up to 24"
Height Adjustment: 18"
Extension Range: 27"
Max Monitor Height: 19"
Weight Capacity: .5 - 22.5 lbs.
Mount: Desk Edge, Thru-Desk, Grommet, Wall, Reverse Wall, Side Bolt
Compatibility: Up to 1.5" desk thickness

Part Numbers

7516-800-___ (.5 lbs. -16.5 lbs. monitor)
7516-1000-___ (1.5 lbs. - 22.5 lbs. monitor)

WARRANTY

10 Years

7509

The 7509 data entry monitor arm is a remarkably flexible data entry workstation that also features a keyboard tray that can be folded flat when not in use and a slide-out mouse tray that accommodates left- or right-hand users.

FEATURES

- **Space-saving:** Keyboard tray can be folded flat when not in use.
- **Flexible:** Built-in mouse tray accommodates left- and right-handers. Angles of monitor and keyboard tray can be adjusted independently.
- **Integrated:** Cable management system routes cables entirely within monitor arm.
- **Adaptable:** Includes FLEXmount with six mounting options in one kit.
- **Compatible:** VESA-monitor compatible – 75mm & 100mm.

Effortless height adjustment

Built-in mouse tray accommodates left- and right-handers

Space-saving design

Easily repositionable

SPECIFICATIONS

Finishes

- Flat White 248
- Silver 124
- Vista Black 104

Dimensions

Screen Size: Up to 27"

Height Adjustment: 18"

Extension Range: 27"

Weight Capacity: 6 - 23 lbs.

Mount: Desk Edge, Thru-Desk, Grommet, Wall, Reverse Wall, Side Bolt

Part Numbers

7509-1000HY-_ _ _

WARRANTY

10 Years

STAXX™



Designed for modularity, this groundbreaking display system can accommodate up to six monitors using a single mount. Staxx is a completely configurable pole-based solution allowing the addition of monitors by stacking more of the same parts on top of each other.

FEATURES

- **Scalable:** Easy to install and reconfigure.
- **Capable:** Mount large screens stacked or side by side.
- **Customizable:** Available in a wide range of sizes and configurations.
- **Adjustable:** Flexible extension arms provide easy positioning and personalized viewing angles.
- **Compatible:** VESA-monitor compatible – VESA adapter(s) included.

SPECIFICATIONS

Finishes

- Flat White 248
- Silver 124
- Vista Black 104

Mount: Desk Edge, Grommet

Compatibility: Up to 1.5" desk thickness

See pages 28-29 for additional specs

WARRANTY

10 Years

STAXX™ STANDARD CONFIGURATIONS

STAXX SINGLE
Screen Size: Up to 50"
Weight Capacity: Up to 30 lbs.
Part Number: STX-01S-___

STAXX ONE OVER ONE
Screen Size: Up to 30"
Weight Capacity: Up to 20 lbs. per monitor
Part Number: STX-11S-___



STAXX DUAL
Screen Size: Up to 24"
Weight Capacity: Up to 20 lbs. per monitor
Part Number: STX-02S-___



STAXX TWO OVER TWO
Screen Size: Up to 24"
Weight Capacity: Up to 15 lbs. per monitor
Part Number: STX-22S-___



STAXX TRIPLE
Screen Size: Up to 24"
Weight Capacity: Up to 15 lbs. per monitor
Part Number: STX-03S-___



STAXX THREE OVER THREE
Screen Size: Up to 24"
Weight Capacity: Up to 10 lbs. per monitor
Part Number: STX-33S-___

STAXX™ WIDE CONFIGURATIONS



STAXX DUAL WIDE
Screen Size: 24" - 30"
Weight Capacity: Up to 20 lbs. per monitor
Part Number: STX-02W-___

STAXX TWO OVER TWO WIDE
Screen Size: 24" - 30"
Weight Capacity: Up to 15 lbs. per monitor
Part Number: STX-22W-___

STAXX TRIPLE WIDE
Screen Size: 24" - 30"
Weight Capacity: Up to 15 lbs. per monitor
Part Number: STX-03W-___



STAXX THREE OVER THREE WIDE
Screen Size: 24" - 30"
Weight Capacity: Up to 10 lbs. per monitor
Part Number: STX-33W-___

STAXX™ ARTICULATING CONFIGURATIONS

STAXX DUAL ARTICULATING
Screen Size: Up to 27"
Weight Capacity:

10-23 lbs. per monitor (STX-450-___)
2-13 lbs. per monitor (STX-500-___)
5-17 lbs. per monitor (STX-600-___)
7.5-25 lbs. per monitor (STX-800-___)
12-25 lbs. per monitor (STX-1000-___)

STAXX DUAL ARTICULATING w/LAPTOP HOLDER
Screen Size: Up to 27"
Weight Capacity:

Monitor:
10-23 lbs. (STX-450-8510-___)
2-13 lbs. (STX-500-8510-___)
5-17 lbs. (STX-600-8510-___)
7.5-25 lbs. (STX-800-8510-___)
12-25 lbs. (STX-1000-8510-___)

Laptop:
3 - 13.5 lb. (all sku's)

BILD®



Bild is a highly configurable solution for multi-monitor applications. Configure your Bild – quickly and easily go from 2 to 16 plus monitors – all without wasting parts. Our Bild multi-monitor mount is an easily adjustable monitor mount solution offering an endless number of configurations for installing multiple monitors.

FEATURES

- **Robust:** Bild offers a robust, solid construction with a clean design aesthetic.
- **Controlled:** Monitor mount pivot points loosen and tighten to the desired rigidity using the tools included. Stored in the beam end cap, they are never out of reach.
- **Adjustable:** This multi-monitor mount takes the work out of adjusting and replacing monitors. Simply attach, adjust, and remove all at the face of the beam. No need to slide monitors to remove.
- **Organized:** Cleans up the workspace with cable clips in the column and beam that keeps cables organized and out of the way.
- **Compatible:** VESA-monitor compatible – 75mm & 100mm VESA adapter(s) included.

Create your angle

Quick, easy monitor install

Cable management

SPECIFICATIONS

Finishes

Silver
124

Vista Black
104

Mount: Desk Edge

See page 29 for additional specs

WARRANTY

10 years

BILD® CONFIGURATIONS

BILD DUAL
Screen Size: Up to 30"
Weight Capacity: Up to 30 lbs. per monitor
Part Number: BILD-2-CM-_ _ _

BILD TWO OVER TWO
Screen Size: Up to 30"
Weight Capacity: Up to 30 lbs. per monitor
Part Number: BILD-2/2-CM-_ _ _

BILD TRIPLE
Screen Size: Up to 24"
Weight Capacity: Up to 30 lbs. per monitor
Part Number: BILD-3-CM-_ _ _



BILD THREE OVER THREE
Screen Size: Up to 24"
Weight Capacity: Up to 30 lbs. per monitor
Part Number: BILD-3/3-CM-_ _ _

BILD QUAD
Screen Size: Up to 24"
Monitor Weight: Up to 30 lbs. per monitor
Part Number: BILD-4-CM-_ _ _



BILD FOUR OVER FOUR
Screen Size: Up to 24"
Monitor Weight: Up to 30 lbs. per monitor
Part Number: BILD-4/4-CM-_ _ _

HAT HEALTHCARE | MONITOR ARMS

Exam Room

Whether mounted to a desk, wall or cart, HAT Healthcare's ergonomic monitor arms maximize performance and enhance workflow.

WALL MOUNT SOLUTIONS

Leverage the power of height-adjustable desking and flexible monitor displays, all while saving space with our convenient wall mount solutions. Hang monitors or flat screen TVs while maintaining the ability to pivot, tilt, and extend the reach of your screen—and then stow it away.

M-SERIES WALL MOUNT

Perfect for small spaces, hospitals, and lobbies, the Wall Mount delivers an ergonomic, height-adjustable touchdown area. Wall Mount is also available with added tilt for easy adjustability in a small mounting footprint.

FEATURES

- **Ergonomic:** A manually-operated mechanism quickly adjusts height without the use of electric power.
- **Storable:** Tilt allows for a full vertical bend between top and column, making each desk easy to flip up and out of the way.
- **Secure:** A safety brake with integrated locking mechanism keeps the table in place.
- **A Safe Space™ Product:** Easily cleaned and disinfected between users.

SPECIFICATIONS

Finishes

- White W
- Silver S
- Black B
- Mocha* 40

Height Range: 29.4" – 45.9" (including 1" thick surface and placed 3" above the floor)

Max Worksurface Width: 20" – 48"

Max Worksurface Depth: 18", 24"

Optional Tilt Angle: 0°, 15°, 22.5°, 45°, 90°

Frame-Only Weight Capacity: Supports a range of 15 – 60 lbs. (Column available in Ultralight and Light)

Adjustability: Constant Force Spring

Worksurface Finishes: We proudly offer WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Worksurface thickness is 1".**

Worksurface Edge Finishes: We proudly offer Rehau edges.**

WARRANTY

Parts: 10 Years
Craftsmanship: Lifetime

* Custom finishes require testing and longer lead times. Additional costs may apply.

** Extended lead times and pricing changes may apply for some laminates and custom edge finishes. Non-standard finishes subject to quote. Please speak with your rep for additional worksurface dimensions and specifications.

HAT HEALTHCARE | WALL MOUNT SOLUTIONS

S-COLLECTION WALL MOUNT

Wall Mounted takes all of the coveted features of our high-end electric desking solution and transforms it into a mounted worksurface. Choose your shape, finishes, and optional features and enjoy the benefits of height adjustability.

FEATURES

- **Adjustable:** Electric motor allows for a 250 lb. lift capacity, raising at 1.5" per second.
- **Smart:** Premium, hardware-based collision detection mitigates damage.
- **Certified:** Meets ANSI/BIFMA standards and is ETL listed to UL 962.
- **A Safe Space™ Product:** Easily cleaned and disinfected between users.

SPECIFICATIONS

Frame Finishes

White
W

Silver
S

Black
B

Worksurface Finishes: We proudly offer WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Worksurface thickness is 1".*

Worksurface Edge Finishes: We proudly offer Rehau edges.*

Worksurface Shape: Rectilinear (Radius corners are standard on all worksurfaces)

SE, 2-Stage
Height Range: 30.1" - 48.6"
(with 1.125"-thick worksurface and placed 3" above the floor)

SX, 3-Stage
Height Range: 25.2" - 51.7"
(with 1.125"-thick worksurface and placed 3" above the floor)

Adjustability: Electric Control

Speed: 1.5" Per Second

Frame-Only Weight Capacity: 250 lbs.

Max Power Draw: 120 V, 60 Hz, 5 A

Standby Power: 0.1W

Special Features: Soft Stop

Switch Options: Up Down, Digital Switch, Personal Health Assistant Tracker

WARRANTY

Motor & Parts: 7 Years
Craftsmanship: Lifetime

* Extended lead times and pricing changes may apply for some laminates and custom edge finishes. Non-standard finishes subject to quote. Please speak with your rep for additional worksurface dimensions and specifications.

9110

The 9110 wall mount is ideal for hanging your display to save maximum space. This flat panel wall mount allows pivot and tilt. You can add optional extender arms to allow even greater flexibility and range.

FEATURES

- **Adjustable:** This computer monitor and flat screen TV wall mount features adjustable tension at joints – ideal for touch-screen applications.
- **Easy:** Easily pivot the monitor from portrait to landscape.
- **Customizable:** Extend the wall mount with available 4" and 8" extension arms; they can also be combined to increase the extension up to 18".
- **Compatible:** VESA-monitor compatible – 75mm & 100mm VESA adapter included.

SPECIFICATIONS

Finishes

Vista Black
104

Dimensions

Screen Size: Up to 43"

Extension Range: 4" (9110)
7.6" (9110-4)
11.1" (9110-8.5)
14.6" (9110-8.5-4)
18.1" (9110-8.5-8.5)

Weight Capacity: Up to 45 lbs. (9110)
Up to 38 lbs. (9110-4)
Up to 28 lbs. (9110-8.5)
Up to 22 lbs. (9110-8.5-4)
Up to 18 lbs. (9110-8.5-8.5)

Part Numbers

9110-___
9110-4-___
9110-8.5-___
9110-8.5-4-___
9110-8.5-8.5-___

9110

9110-4

9110-8.5

9110-8.5-4

9110-8.5-8.5

WARRANTY

10 Years

VERTICAL WALL TRACK SYSTEM

The 8326 vertical mounting track provides a space-efficient method of elevating your entire computer system. This highly configurable solution can be customized to meet your needs by incorporating flexible monitor arms, keyboard arms, and a CPU holder. All cables are routed through track, and hidden behind a cable channel.

FEATURES

- **Configure:** Design your solution with your choice of track length, monitor arm, keyboard arm, and CPU holder.
- **Clean:** Integrated cable management keeps cables organized and out of view.
- **Safe:** Mounting system prevents accidents and trip hazards which may damage equipment or harm staff.

SPECIFICATIONS

Finishes

Flat White
248

Silver
124

Vista Black
104

Dimensions

Standard Track Lengths: 13", 19", 31"

Mount: Wall

Part Numbers

8326-_ _-_ _ _ (Wall Track)

WARRANTY

10 Years

Add a monitor arm, keyboard arm, and/or a CPU holder

Easily create a solution that fits your needs

Cable are routed through track and hidden behind cable channel

VERTICAL TRACK SYSTEM COMPONENTS



A Wall Track
Choose from three lengths:
13", 19" and 31".
(Width of track is 4.4")
Model 8326

B Data Entry Monitor Arm
Supports monitor and keyboard tray.
(Requires track mount)
Model 7509

C Monitor Arm
Add any Innovative monitor arm.
(Requires track mount)

D Keyboard Arm
Accommodates keyboard and mouse.
(Requires track mount)
Model 7019-NM

E Track Mount
Mounts arm to track.
Model 8328

F CPU Mount
Adjustable mount secures CPU.
Model 8335-SM, 2-3" wide
Model 8335-MD, 3-5" wide
Model 8335-LG, 5-7" wide

HAT HEALTHCARE | WALL MOUNT SOLUTIONS

Registration

Height adjustable wall mounts offer comfort and convenience for every user.

SIT-STAND WORKSTATIONS

On your own or with a team, sitting or standing, stationary or on the move, work your way with HAT Healthcare's diverse collection of sit-stand workstations. Expand your worksurface and adjust heights to ensure the best fit for your individual medical environment. During shift changes or while making rounds, these flexible workstations offer excellent ergonomic comfort.

M-SERIES TRIPOD & QUAD

These multi-seater desks adapt the best of M-Series for group workspaces. Fast paced environments shouldn't inhibit your ability to work ergonomically.

FEATURES

- **Ergonomic:** Constant Force height adjustment makes it easy to work in comfort.
- **Integrated:** The clever worksurface shapes fit together to take up less space.
- **Secure:** A safety brake with integrated locking mechanism keeps the table in place.
- **A Safe Space™ Product:** Easily cleaned and disinfected between users.

SPECIFICATIONS

Finishes

White
W

Silver
S

Black
B

Mocha*
40

Worksurface Finishes: We proudly offer WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Worksurface thickness is 1".**

Worksurface Edge Finishes:
We proudly offer Rehau edges.**

M-Tripod

Seats: 3

Worksurface Angle: 120°

Worksurface Weight: 45+ lbs.
(Surface size contingent)

M-Quad

Seats: 4

Worksurface Angle: 90°

Worksurface Weight: 37+ lbs.
(Surface size contingent)

Height Range: 27.6" – 44.1"
(including 1" thick surface)

Worksurface Size: 36" – 40" x 18" – 24"

Frame-Only Weight Capacity:
Supports a range of 15 – 80 lbs.
(Column available in Ultralight, Light, Medium)

Adjustability: Constant Force Spring

Wire Management: Included

WARRANTY

Parts: 10 Years
Craftsmanship: Lifetime

* Custom finishes require testing and longer lead times. Additional costs may apply.

** Extended lead times and pricing changes may apply for some laminates and custom edge finishes. Non-standard finishes subject to quote. Please speak with your rep for additional worksurface dimensions and specifications.

S-COLLECTION PANEL MOUNT

Panel Mount integration is available for new systems as well as pre-installed units. Working with existing panels presents a cost-efficient option and reduces waste for a more environmentally friendly approach. Integration also creates space below the surface by allowing for the use of smaller feet. The recessed frame design is perfect for adding a storage pedestal or CPU.

FEATURES

- **Adjustable:** Electric motor allows for a 350 lb. lift capacity, raising at 1.5" per second.
- **Smart:** Premium, hardware-based collision detection mitigates damage.
- **Safe:** Brackets keep the table in a fixed lateral position, maintaining important pinch gaps around the perimeter of the desk to avoid damage or injury.
- **A Safe Space™ Product:** Easily cleaned and disinfected between users.

SPECIFICATIONS

Frame Finishes

White
W

Silver
S

Black
B

Worksurface Finishes:
We proudly offer WilsonArt®, Pionite®, Nevamar® and Formica® laminates. Worksurface thickness is 1.125".*

Worksurface Edge Finishes:
We proudly offer Rehau edges.*

Worksurface Shape: Rectilinear
(Radius corners are standard on all worksurfaces)

SE, 2-Stage
Height Range: 27.1" - 45.6"

SX, 3-Stage
Height Range: 22.2" - 48.7"

Adjustability: Electric Control

Speed: 1.5" Per Second

Weight Capacity: 350 lbs.

Max Power Draw: 120 V, 60 Hz, 5 A

Standby Power: 0.1W

Special Features: Soft Stop

Switch Options: Up Down, Digital Switch, Personal Health Assistant Tracker

WARRANTY

Motor & Parts: 7 Years
Craftsmanship: Lifetime

* Extended lead times and pricing changes may apply for some laminates and custom edge finishes. Non-standard finishes subject to quote. Please speak with your rep for additional worksurface dimensions and specifications.

HAT GROUP & CONFERENCE TABLE



Team meetings may be long, but they don't have to be painful. This four-legged electric conference base means even shared workspaces can transition from sit to stand.

Improve the productivity of your team sessions with this impressively large height-adjustable electric base. Expandable widths and multiple worksurface options ensure the right fit for your space.

FEATURES

- **Integrated:** Includes programmable four-position LED handset and cable manager.
- **Electric Lift:** Quad-sync motors allow for a 350 lb. lift capacity, which raises at 1.2" per second.
- **Smart:** Anti-collision safety sensor prevents accidents.
- **A Safe Space™ Product:** Easy to wipe down and disinfect between users.

SPECIFICATIONS

Finishes

Black
BK

Dimensions

Height Range: 27.25" - 46.75"
Width Options: 42" - 74"

Part Numbers

HAT4-MID-L-_ _

WARRANTY

Motor & Parts: 7 Years
Craftsmanship: Lifetime

MOVEL

Movel gives you the freedom to work the way you want, anywhere you want. Its light-scale design, tiltable desktop, and manual height adjustability provides the ultimate solution for a nimble, space-saving work companion.

FEATURES

- **Seamless Height Adjustment:** Creates a smooth transition from sitting to standing.
- **Tilting:** Desktop provides the optimal angle for writing or computing.
- **Safety:** Ledge stopper prevents items from slipping off the desktop.
- **Heavy-duty:** Casters offer smooth mobility allowing you to work anywhere you want.

SPECIFICATIONS

Finishes

White
WHT

Dimensions

Height Range: 29.8" – 44.4"
Worksurface Tilt Range: 0°, 10°, 20°, 30°
Worksurface Size: 23.6" L x 20.5" W
Worksurface Thickness: .63"
Weight Capacity: 17.6 lbs

Part Numbers

MOVEL-WHT

WARRANTY

3 Years

Worksurface tilts for maximum comfort

Height adjusts for both sitting and standing work

Caregiver's Station

HAT Healthcare's sit-stand workstations are designed with the flexibility and durability that 24/7 care environments can depend on.

HAT HEALTHCARE | SIT-STAND WORKSTATIONS

ACCESSORIES

Add customized functionality to your daily work experience with our design-forward line of workplace accessories. Connect to power, safely store your keyboard, mount your CPU, and stand in comfort with the help of HAT Healthcare.

DOCKING STATION

Front

Back

DS-1-CM-BLK



DS-1-VM-BLK

FEATURES

- **Compatible:** Cross platform compatibility – works with both Mac and PC.
- **Portable:** Fits easily into your laptop bag for portable connectivity.
- **Power:** Provides steady power for quick-charge to compatible devices.
- **Flexible:** Optional VESA and clamp mounts available for a clutter-free workspace.

SPECIFICATIONS

Finishes

Black
BLK

Part Numbers

DS-1-BLK (Docking Station Only)
DS-1-CM-BLK (with Clamp Mount)
DS-1-VM-BLK (with VESA Mount)

Compatibility: Mac and PC
Dimensions: 3.75" W x 3.75" D x 1.33" H
Docking Interface: USB-C 3.1
Interfaces: (2) HDMI 1.4, (3) USB-A 3.1 Gen 1, (1) RJ45 Port, (1) Audio Jack In/Out
Single Display Resolution: 2560 x 1440 @ 50Hz
Dual Display Resolution: 1920 x 1080 @ 60Hz
Audio: 2.1 Channel
Ethernet: Type 10/100/100 Base-T
PD Charging: 85W
Power Adapter: AC 100/240V

SURFACE MOUNTED POWER MODULES

SMPM-3AA-C

Includes two power receptacles, two USB-A ports

SMPM-3AC-C

Includes two power receptacles, one USB-A port, one USB-C port

SMPM-5-AAC-C-WRLS

Includes wireless charging, two power receptacles, two USB-A ports, one USB-C port

FEATURES

- **Power:** Dual power receptacles.
- **Ports:** USB charger ports.
- **Secure:** Clamps onto any worksurface for easy access.

SPECIFICATIONS

Finishes

White
WHT

Black
BLK

Power Cord Length: 72"
Certifications: UL Approved
Compatibility: Mounts to edge of surface .75" - 1.375"

Part Numbers

SMPM-3AA-C-___
SMPM-3AC-C-___
SMPM-5-AAC-WRLS-___

KEYBOARD TRAY

FEATURES

- **Easy:** Lift and release height adjustment.
- **Flexible:** Mouse pad can be repositioned to the left or right hand side.

SPECIFICATIONS

Finishes

Black
BLK

Keyboard Tray Size: 20" x 11"
Height Adjustment: 6.375" (1.125" up, 5.25" down)
Track Length: 11"
Tilt Adjustment: +10/-20 degrees
Swivel: 360 degree

Part Numbers

KT6-28

CPU HOLDERS

CPU-HLDR-1

CPU-HLDR-2

FEATURES

- **Space-Saving:** Adjustable CPU holders save space by securing CPU's under the desk.

SPECIFICATIONS

Finishes

Black
BLK

Compatibility: Supports computers 11.8" - 21" high, 3.5" - 8" deep
Weight Capacity: Up to 22 lbs.
Mount: Attaches under desk

Part Numbers

CPU-HLDR-1-BLK
CPU-HLDR-2-BLK (Includes 11" Track)

WINSTON MAT

FEATURES

- **Support:** This durable anti-fatigue mat delivers deep-cushion comfort and supports your feet and joints.

SPECIFICATIONS

Finishes

Black
BLK

Dimensions: 36" W x 24" D x .75" H
Material: Commercial grade, heavy-duty polyurethane.

Part Numbers

WNST-MAT

Patient Room

Avoid clutter and access patient information with ease, never letting equipment get in the way of exceptional patient care.

HAT HEALTHCARE | ACCESSORIES

MEDICAL CARTS

	Fusion (pp 8-9)	MedPoint (pp 10-11)	FRS (pp 12-13)	OmniCenter (pp 14-15)
Laptop Option	Yes	Yes	Yes	Yes
Hybrid/Thin Client Option	Yes	Yes	No	Yes
All-in-One Option	Yes	Yes	No	Yes
Height Adjustable	Yes	Yes	Yes	No

MONITOR MOUNTS FOR CARTS

	Legacy Monitor Arm	3500 Monitor Arm	Pole Mount
Height Adjustment	5.5"	9.5"	Adjustable anywhere on pole
Extension Range	5"	19.7"	5.7"
Weight Capacity	30 lbs.	38 lbs.	45 lbs.

MEDICAL CART POWER SYSTEMS

	Laptop Computer		Hybrid / Thin Client Computer w/Monitor		All-in-One Computer	
	Option 1	**Option 2**	**Option 1**	**Option 2**	**Option 1**	**Option 2**
Power System Model	Stealth Power Limited 150W / 38.4	Stealth Power 450W / 38.4	Stealth Power 450W / 38.4	Stealth Power Plus 450W / 57.6	Stealth Power 450W / 38.4	Stealth Power Plus 450W / 57.6
Battery Chemistry	LIFEP04 Lithium Iron Phosphate	LIFEP04 Lithium Iron Phosphate	LIFEP04 Lithium Iron Phosphate	LIFEP04 Lithium Iron Phosphate	LIFEP04 Lithium Iron Phosphate	LIFEP04 Lithium Iron Phosphate
Battery Capacity	12.8 Volt / 38.4 Amp	12.8 Volt / 38.4 Amp	12.8 Volt / 38.4 Amp	12.8 Volt / 57.6 Amp	12.8 Volt / 38.4 Amp	12.8 Volt / 57.6 Amp
Battery Run Time	16 Hours @ 35 Watts 13 Hours @ 65 Watts	16 Hours @ 35 Watts 13 Hours @ 65 Watts	13 Hours @ 65 Watts 10 Hours @ 90 Watts 7 Hours @ 110 Watts	17 Hours @ 65 Watts 14 Hours @ 90 Watts 11 Hours @ 110 Watts	13 Hours @ 65 Watts 10 Hours @ 90 Watts 7 Hours @ 110 Watts	17 Hours @ 65 Watts 14 Hours @ 90 Watts 11 Hours @ 110 Watts
Recharge Time	4 Hours	≤ 2 Hours	≤ 2 Hours	2.25 Hours	≤ 2 Hours	2.25 Hours
Battery Life	2500 – 3000 Cycles	2500 – 3000 Cycles	2500 – 3000 Cycles	2500 – 3000 Cycles	2500 – 3000 Cycles	2500 – 3000 Cycles
Technology / Flexibility	DC Output Only Requires DC Adapter – Computer Specific	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v	Built-in AC & DC Output AC Plug w/ 3 Outlets 3 DC Outputs: 5v, 12v & 19.5v
Total Power Available	150 Watts	450 Watts	450 Watts	450 Watts	450 Watts	450 Watts
Safety Compliance	UL 60601 Compliant	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition	UL 60601 3rd Edition

MONITOR ARMS

	7000 (p 20)	**7500** (p 22)	**7516** (p 23)	**7509** (p 24)
Screen Size	Up to 32"	Up to 43"	Up to 24"	Up to 27"
Weight Capacity	2 - 31 lbs.	2 - 40 lbs.	.5 - 22.5 lbs.	6 - 23 lbs.
Height Adjustment	16"	18"	18"	18"
Extension Range	24"	27"	27"	27"
Finishes	Flat White, Silver, Vista Black	Flat White, Silver, Vista Black	Flat White, Silver, Vista Black	Flat White, Silver, Vista Black
Dual Monitor Option	Yes	Yes	No	No
Multi-Monitor (3+)	No	No	No	No
Mount Configurations	Desk Edge, Grommet	Desk Edge, Thru-Desk, Grommet, Wall, Reverse Wall, Side Bolt	Desk Edge, Thru-Desk, Grommet, Wall, Reverse Wall, Side Bolt	Desk Edge, Thru-Desk, Grommet, Wall, Reverse Wall, Side Bolt
Warranty	10 Years	10 Years	10 Years	10 Years

HAT HEALTHCARE | COMPARISON CHART

MONITOR ARMS




	Staxx (pp 25-27)	**Bild** (pp 28-29)
Screen Size	Up to 30"	Up to 30"
Weight Capacity	Varies	Up to 30 lbs. per monitor
Height Adjustment	Adjustable in 1" increments on pole	Adjustable anywhere on column
Extension Range	Varies	Varies
Finishes	Flat White, Silver, Vista Black	Silver, Vista Black
Dual Monitor Option	Yes	Yes
Multi-Monitor (3+)	Yes	Yes
Mount Configurations	Desk Edge, Grommet	Desk Edge
Warranty	10 Years	10 Years

HAT HEALTHCARE™

HAT Collective
Global Headquarters
100 Kuebler Road
Easton, PA 18040

408 437 8770
hatcollective.com

© 2021 HAT Collective